

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 12 2006

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUL 12 2006

The applicant **Schwartz Living Trust** dated **March 10, 1988** hereby makes application for permission to change the **Point of diversion Place of use Of a portion** of water heretofore appropriated under **Permit 58531**

1. The source of water is **underground water**
2. The amount of water to be changed **0.016 cfs 4.04 af**
3. The water to be used for **Irrigation**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **within the NE¼ SW¼ Sec. 26 T.14N., R.20E., MDB&M or at a point from which the W¼ Cor of said Sec. 26 bears N 82° 11' 32" W a distance of 1824 feet**
6. The existing permitted point of diversion is located within **NE¼ SW¼ Sec. 32, T.14N., R.20E. MDB&M or at a point from which the center ¼ Cor of said Sec. 32 bears N 61° 22' 33" E, a distance of 525.0 feet**
7. Proposed place of use **a portion of the NW¼ NE¼ SW¼ Sec. 26 T.14N., R.20E., MDB&M. 1.01 acres for Proposed POD, POU use map to accompany this application**
8. Existing place of use **a portion of the NE¼ SW¼ Sec. 32, T.14N., R.20E. MDB&M. 1.01 acres For existing POD, POU use map on file under permit 58531**
9. Use will be from **1/1 to 12/31** of each year.
10. Use was permitted from **1/1 to 12/31** of each year.
11. Description of proposed works **Drilled & cased well, pump, pipes & drip lines**
12. Estimated cost of works **\$100,000.00**
13. Estimated time required to construct works **3 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **Applicant seeks to irrigate several hundred trees which exceeds the capacity of his domestic well. Permit 58531 is sole supply in part and supplemental in part to CRC 127. A portion of the sole supply acreage will no longer be irrigated**

By **R. Michael Turnipseed P.E.**
S/ **R. Michael Turnipseed P.E.**
204 N. Minnesota Street
Carson City, NV 89703

Compared gkl/ sc

Protested 9-21-06 by Pryamid Lake Paiute Tribe

74498

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that its approval would violate State Engineer's Order No. 904.

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 23rd day of October, A.D. 2007.

Tracy Taylor, P.E.
State Engineer